



## About the Law

### Preventive Services Covered under the Affordable Care Act

If you have a new health insurance plan or insurance policy beginning on or after September 23, 2010, the following preventive services must be covered without your having to pay a copayment or co-insurance or meet your deductible. This applies only when these services are delivered by a network provider.

#### Covered Preventive Services for Adults

- **Abdominal Aortic Aneurysm** one-time screening for men of specified ages who have ever smoked
- **Alcohol Misuse** screening and counseling
- **Aspirin** use for men and women of certain ages
- **Blood Pressure** screening for all adults
- **Cholesterol** screening for adults of certain ages or at higher risk
- **Colorectal Cancer** screening for adults over 50
- **Depression** screening for adults
- **Type 2 Diabetes** screening for adults with high blood pressure
- **Diet** counseling for adults at higher risk for chronic disease
- **HIV** screening for all adults at higher risk
- **Immunization** vaccines for adults--doses, recommended ages, and recommended populations vary:
  - Hepatitis A
  - Hepatitis B
  - Herpes Zoster
  - Human Papillomavirus
  - Influenza
  - Measles, Mumps, Rubella
  - Meningococcal
  - Pneumococcal
  - Tetanus, Diphtheria, Pertussis
  - Varicella
- **Obesity** screening and counseling for all adults
- **Sexually Transmitted Infection (STI)** prevention counseling for adults at higher risk
- **Tobacco Use** screening for all adults and cessation interventions for tobacco users
- **Syphilis** screening for all adults at higher risk

#### Covered Preventive Services for Women, Including Pregnant Women

- **Anemia** screening on a routine basis for pregnant women
- **Bacteriuria** urinary tract or other infection screening for pregnant women
- **BRCA** counseling about genetic testing for women at higher risk

- **Breast Cancer Mammography** screenings every 1 to 2 years for women over 40
- **Breast Cancer Chemoprevention** counseling for women at higher risk
- **Breast Feeding** interventions to support and promote breast feeding
- **Cervical Cancer** screening for sexually active women
- **Chlamydia Infection** screening for younger women and other women at higher risk
- **Folic Acid** supplements for women who may become pregnant
- **Gonorrhea** screening for all women at higher risk
- **Hepatitis B** screening for pregnant women at their first prenatal visit
- **Osteoporosis** screening for women over age 60 depending on risk factors
- **Rh Incompatibility** screening for all pregnant women and follow-up testing for women at higher risk
- **Tobacco Use** screening and interventions for all women, and expanded counseling for pregnant tobacco users
- **Syphilis** screening for all pregnant women or other women at increased risk

### Covered Preventive Services for Children

- **Alcohol and Drug Use** assessments for adolescents
- **Autism** screening for children at 18 and 24 months
- **Behavioral** assessments for children of all ages
- **Blood Pressure** screening for children
- **Cervical Dysplasia** screening for sexually active females
- **Congenital Hypothyroidism** screening for newborns
- **Depression** screening for adolescents
- **Developmental** screening for children under age 3, and surveillance throughout childhood
- **Dyslipidemia** screening for children at higher risk of lipid disorders
- **Fluoride Chemoprevention** supplements for children without fluoride in their water source
- **Gonorrhea** preventive medication for the eyes of all newborns
- **Hearing** screening for all newborns
- **Height, Weight and Body Mass Index** measurements for children
- **Hematocrit or Hemoglobin** screening for children
- **Hemoglobinopathies** or sickle cell screening for newborns
- **HIV** screening for adolescents at higher risk
- **Immunization** vaccines for children from birth to age 18 —doses, recommended ages, and recommended populations vary:
  - Diphtheria, Tetanus, Pertussis
  - Haemophilus influenzae type b
  - Hepatitis A
  - Hepatitis B
  - Human Papillomavirus
  - Inactivated Poliovirus
  - Influenza
  - Measles, Mumps, Rubella
  - Meningococcal
  - Pneumococcal
  - Rotavirus
  - Varicella
- **Iron** supplements for children ages 6 to 12 months at risk for anemia
- **Lead** screening for children at risk of exposure
- **Medical History** for all children throughout development
- **Obesity** screening and counseling

- **Oral Health** risk assessment for young children
- **Phenylketonuria (PKU)** screening for this genetic disorder in newborns
- **Sexually Transmitted Infection (STI)** prevention counseling and screening for adolescents at higher risk
- **Tuberculin** testing for children at higher risk of tuberculosis
- **Vision** screening for all children

[Learn more detailed information on these preventive services.](#)